




GOLD MONSTER 1000 quick start

Extra Sensitive VLF Performance



Highly Adaptable



Meeting customer needs


- Choice of coils (GM 10 & GM 05)
- Choice of batteries (Li-Ion or AA)
- Choice of charging (adaptors supplied)
- Choice of shafts (adaptor supplied)
- Choice of audio (headphones supplied)



Highly Adaptable - Shafts


Meeting customer needs

- A shaft adapter is supplied should you wish to use an alternative shaft (such as wood or plastic) in place of the supplied shaft



Getting Started Guide

Control Panel →



← Quick Start

2 Coils Included



GM 10

- 10" x 6" elliptical Double-D
- Waterproof (1m/3ft)
- Useful for most detecting



GM 05

- 5" round Double-D
- Waterproof (1m/3ft)
- Great for tight spaces with reduced shaft length
- More sensitive to smaller targets



Parts Supplied



Control Box



Armrest



10"x6" Double-D
Coil



5" Double-D Coil



Adjustable Shafts



Shaft Adapter



Universal Shaft
Adapter



Rechargeable Li-
ion Battery



Replaceable AA
Battery Carrier



AC Charger



Headphones



Getting Started
Guide

ALL PARTS SOLD SEPARATELY

Minimum Configuration



Control Box



Coil



Replaceable AA Battery Carrier



Universal Shaft Adapter



Easy Quick Start



1 Turn On





2 Wait for auto noise cancel




3 Begin gold detecting



Detect Modes



Gold Chance Indicator



Sensitivity Settings

Automatic

- Auto (conservative)
- Auto+ (aggressive)

Auto is the default and recommended setting



Manual

- 1-10 levels

Manual 10 may be best for air testing



Automatic Sensitivity - Operation

Automatic Setting	Equivalent Manual Setting	
	'hot' ground example	'mild' ground example
Auto (conservative)		
Auto+ (aggressive)		

Volume

Adjustable

- 1-6 levels
- Adjust to suit your hearing
- Adjust for wearing headphones



Competitive Product Comparison

	Minelab Gold Monster 1000	Fisher Gold Bug-2	Garrett AT Gold	Whites GMT
Frequency	45kHz VLF	71kHz VLF 	18kHz VLF 	48kHz VLF
Detect Modes & Discrimination	Gold & Deep All-Metal (LCD Gold Chance Indicator)	IRON DISC, NORMAL	ALL METAL, DISC1 & DISC 2	IRON ID (Iron Probability Indicator)
Sensitivity	Automatic & Manual 	Manual	Manual	Manual
Ground Balance	Auto Tracking 	Manual 	Auto & Manual	Auto & Manual
Shaft Options	Universal 	-	-	-
Supplied Coils	10" x 6" Double-D & 5" Double-D 	10" x 5" Concentric or 6.5" Concentric	8" x 5" Double-D	10" x 6" Double-D
Headphones	Supplied	Optional Accessory 	Supplied	Optional Accessory 
User Display	LCD	None 	LCD	LCD
Battery	Li-Ion Battery or 8x AA Batteries 	2x 9V Batteries	4x AA Batteries	NiCad Battery (optional accessory); or 8x AA Batteries
Weight (ex battery)	1.3kg (2.9lb)	1.3kg (2.9lb)	1.4kg (3.0lb)	1.8kg (4.0lb) 